



# Complete<sup>(tm)</sup> Clinic Software

CCS, Inc.  
1802 Williamson Ct Ste 200  
Brentwood, TN 37027

(800) 989-6576  
Local (615) 309-7074  
Fax (615) 373-0334  
info@completeclinic.com  
www.completeclinic.com

---

## Power Settings

November 6, 2008

If your computer seems to have trouble waking up after being idle for a while, try these:

### **Set computer to not shut off the Network Adapter (Vista)**

Click Start and choose Control Panel  
Double click on Device Settings  
Click the + sign beside Network Adapters  
Right Click on the Network Adapter (not the 1394 adapter)  
Choose Properties from the menu that will be displayed  
Click on the Power Management tab  
Remove the check mark from the box "Allow computer to turn off this device to save power"  
Click Apply and Exit

### **Change other Power Save Options (Vista)**

Go to control panel Select <Power Options>  
On the screen that opens set the power plan to balance  
Click on "Change Plan Settings"  
Change the Sleep (hibernate mode) to Never  
Locate the hard drive settings and increase the time to shutdown to 6 or more hours.  
Click Apply and Exit

### **Set computer to not shut off the Network Adapter (XP)**

Click Start and Right Click on My Computer  
Choose Properties from the Menu that pops up  
Click on the Tab that says "Hardware"  
Click on the button Device Settings  
Click the + sign beside Network Adapters  
Right Click on the Network Adapter (not the 1394 adapter)  
Choose Properties from the menu that will be displayed  
Click on the Power Management tab  
Remove the check mark from the box "Allow computer to turn off this device to save power"  
Click Apply and Exit

### **Change other Power Save Options (XP)**

Go to control panel Select <Power Options>  
On the screen that opens Set the "Turn Off Hard Drive" to NEVER  
Set "System Standby to NEVER"  
Click on the Hibernate tab and remove the check mark from "Enable Hibernate"  
Click Apply and Exit